



CÔNG TY TRÁCH NHIỆM HỮU HẠN THIẾT BỊ VÀ CÔNG NGHỆ DELI
DELI TECHNOLOGY AND EQUIPMENT COMPANY LIMITED
得力仪器技术有限公司



Chuyên máy móc thiết bị

Sản xuất, kinh doanh, sửa chữa, cho thuê, đại lý

Cung cấp các dịch vụ thử nghiệm cho khách hàng

生产 销售 维修 租赁 回收。为客户提供检测服务

실험설장비생산판매,수리,임대,재활용고객에세검사,

측정서비스제공

• **VMS Series Image Measuring Instrument**
VMS系列影像测量仪 화상측정기



• **Model and Measuring Field(mm)**

VMS-3020 : 300 x 200

VMS-4030 : 400 x 300

VMS-5040 : 500 x 400

• Z axis travel : 200 (Selection)

• Repetitive accuracy : 0.005mm

• X/Y indication error : Less than (3+L/200)

L is the measured length, unit: mm)

• Zoom lens : 0.7~4.5X

• Software Language: 中国語\English\Tieng Viet

• **2.5D Image Measuring Instrument**
2.5D 影像测量仪 화상측정기



• **Model and Measuring Field(mm)**

DL-3020E: 300 x 200

DL-4030E : 400 x 300

DL-5040E : 500 x 400

• Z axis travel : 200 (Selection)

• Repetitive accuracy : 0.005mm

• X/Y indication error : Less than (3+L/200)

L is the measured length, unit: mm)

• Zoom lens : 0.7~4.5X

• Software Language: 中国語\English\Tieng Viet

• **Automatic Image Measuring Instrument**
全自动影像测量仪 자동이미지측정기



• **Model and Measuring Field(mm)**

DL-3020-DCC : 300 x 200

DL-4030-DCC : 400 x 300

DL-5040-DCC : 500 x 400

• Z axis travel : 200 (Selection)

• Repetitive accuracy : 0.005mm

• X/Y indication error : Less than (3+L/200)

L is the measured length, unit: mm)

• Zoom lens : 0.7~4.5X

• Software Language: 中国語\English\Tieng Viet

• **Gantry Type Image Measuring Instrument**
龙门式影像测量仪 갠트리형이미지측정기



• **Model and Measuring Field(mm)**

DLM-6040H : 600 x 400

DLM-8060H : 800 x 600

DLM-1080H : 1000 x 800

DLM-1012H : 1000 x 1200

• Z axis travel : 200 (Selection)

• Repetitive accuracy : 0.005mm /0.5μm

• X/Y indication error : Less than (3+L/200)

L is the measured length, unit: mm)

• Zoom lens : 0.7~4.5X

• Software Language: 中国語\English\Tieng Viet

• Coordinate Measuring
Machine 3D CMM

Mitutoyo

HEXAGON



•Model and Measuring Field(mm)

Models	X	Y	Z
05.07.05 :	500	700	500
06.08.06 :	600	800	600
07.10.07 :	700	1000	700
08.10.06 :	800	1000	600
08.12.06 :	800	1200	600
10.12.08 :	1000	1200	800

- Manual CMM series: manually driven.
- Motor driven CMM series with automatic detection.
- The CMM series of meters are directly Controlled by the computer.
- The CMM series of meters are linked with CAD, CAM, FMS.

•Constant Temperature and Humidity Testing
恒温恒湿试验机 항온 항습시험 상자



•Model and Measuring Field(mm)

KJU- 80 :	400 x 500 x 400
KJU-120 :	500 x 600 x 400
KJU-150 :	500 x 600 x 500
KJU-800 :	1000 x 800 x 1000
KJU-1000 :	1000 x 1000 x 1000

- Temperature :0°C,-20°C,-40°C,-70°C ~ 150°C
- Humidity : 20% ~ 98%
- Cabinet Material : SUS 304 , Lacquer
- Controller : Korea TEMI, Taiwan Tai Tong

• High and Low Temperature Test Chamber
高低温试验箱 고온및저온기시험 상자



•Model and Measuring Field(mm)

KJU-D80 :	400 x 500 x 400
KJU-D120 :	500 x 600 x 400
KJU-D150 :	500 x 600 x 500
KJU-D225 :	500 x 750 x 600
KJU-D408 :	600 x 850 x 800

- Temperature Range: 0°C,-20°C,-40°C,-70°C ~ 150°C
- Cabinet Material : SUS 304 , Lacquer
- Controller : Korea TEMI, Taiwan Tai Tong

•Three-box Thermal Shock Testing Machine
三箱冷热冲击试验机 열충격테스트시험기



•Model and Measuring Field(mm)

KJU-49 :	350 x 400 x 350
KJU-80 :	400 x 500 x 400
KJU-150 :	500 x 600 x 500
KJU-252 :	600 x 700 x 600
KJU-480 :	750 x 800 x 800

- Impact Range
 - Low: A(-10 ~ -40°C)
 - B(-10 ~ -55°C)
 - C(-10 ~ -65°C)
 - High: 60 ~ 150°C
- Cabinet Material
SUS 304 , Lacquer

•Salt Spray Test Machine
 盐水喷雾试验机 염수 분무기



•Model and Measuring Field(mm)

KJU-952C : 600 x 400 x 450
 KJU-952B : 900 x 600 x 500
 KJU-952A : 1200 x 800 x 500
 KJU-952LA : 1600 x 1000 x 500

• Brine Spray Test

35°C(laboratory) 47°C(Saturated air tank)

• Corrosion Test

50°C (laboratory) 63°C(Saturated air tank)

•Large Precision Oven
 大型精密烘箱 대형정밀건조기



•Model and Measuring Field(mm)

KJU-49 : 350 x 400 x 350
 KJU-80 : 400 x 500 x 400
 KJU-150 : 500 x 600 x 500
 KJU-252 : 600 x 700 x 600
 KJU-480 : 750 x 800 x 800

•Temperature Range

RT + 5 ~ 300°C

•Inner Box Matetial

SUS 304 of Galvanized Sheet

• Precision Oven
 精密烘箱 정밀 건조기



•Model and Measuring Field(mm)

DLM-6040H : 600 x 400
 DLM-8060H : 800 x 600
 DLM-1080H : 1000 x 800
 DLM-1012H : 1000 x 1200

•Temperature Range

RT + 5 ~ 250°C

•Inner Box Matetial

SUS 304 of Galvanized Sheet

• **Tensile testing machine**
 拉力试验机 집회시험기



• **Model and Measuring Field(mm)**

DL-YL70 : 450mm
 DL-YL71 : 700mm
 DL-YL72 : 1000mm
 DL-YL73 : 1200mm

- **Capacity:** 10N, 20N, 50N, 100N, 200N, 500N, 1KN, 2KN, 5KN.
- **Display :** Computer Display mode
- **Force Accuracy:** $\leq \pm 0.1\%$
- **Test Speed :** 0.01 ~500mm/ min (Customizable)

• **Mechanical instruments** 力学类仪器 역학클래스테스트기계



Hydraulic universal testing machine



High and low temperature tensile testing machine



Electronic universal Testing machine

• **Tensile testing machine**
 拉力试验机 집회시험기



Push-pull gauge motor table



Digital Push Pull Gauge



Manual Horizontal Testing Machine



Carton Compression Testing Machine



Simulated Car Transportation Shaker



High frequency shaker

• Tensile testing machine
WAW电子万能试验机 유압범용시험기



Single wing drop
test machine



Double wing drop
test machine



Falling ball
testing machine



Fully Automatic Insertion
Force Testing Machine



Automatic load shift
curve meter



Edge Compression Strength
Testing Machine

• Surface treatment instrument 表面处理仪器 표면 처리기기



Manual Pencil
Hardness Tester



Manual Pencil
Hardness Tester



RCA Paper Tape
Abrasion Tester



Wear testing
machine



Wear testing
machine



Automatic burst strength
testing machine

· XRF spectrometer
XRF光谱仪XRF스펙트럼기



X Fluorescence
Spectrometer
UX-350




X Fluorescence
Spectrometer
UX-310



X Fluorescence
Spectrometer
UX-220



EDX-1800B\E
EDX-2800B\E



X-Ray XULM
X-Ray XDAL
X-Ray XDLM



XRF-2020

· MICROSCOPE 显微镜 현미경



Metallographic
Microscope



Microscope



Microscope



Video microscope



Dino Lite



Magnifying glass
10x 20x




Contact Angle
Meters

•Surface treatment instrument 表面处理仪器 표면 처리기기



Rockwell hardness tester



Color Viewing Box



Torque Meter



Coating Thickness Gauge



Electronic balance



Electronic scale



DIGITAL SURFACE RESISTANCE METER KIT



Electrostatic Field Meter




Gloss meter



Light Intensity Measurement



Konica Colori meter CM-700, CM3600A, CM-3700A



100 grid test knife



USA UV Energy Meter



German UV Energy Meter



Dust tester (Handheld)




Dust tester (desktop)

Granite Table Map
大理石平台 대리석 플랫폼



Granite Base Comparator Stands



Model	Measuring Field(mm)
Size	Level 00 (Accuracy)
600*500*100	4 μm
900*600*100	5 μm
1000*800*100	5 μm
1000*1000*150	5 μm
1200*900*150	5 μm
1500*1000*150	6 μm
2000*1000*200	7 μm
2500*2000*300	7 μm

200*150*70	Ø10
300*200*70	Ø10
400*300*70	Ø10

MEASUREMENT TOOLS 測量工具 측정 도구




Ultrasonic cleaner 超声波清洗机 초음파 세척기



Model	Size (mm)	frequency(KHz)	Vibrating head(pcs)
CR-031S	300*150*150	40	3
CR-040S	300*240*150	40	4
CR-060S	330*300*150	40	6
CR-080S	500*300*150	40	8
CR-100S	500*300*200	40	10
CR-180S	500*350*350	40	18
CR-240S	550*400*400	40	18
CR-301ST	800*300*400	40	30
CR-360ST	600*500*450	40	36
CR-480ST	700*500*500	40	48
CR-600ST	800*600*550	40	60
CR-720ST	1000*600*600	40	72
CR-1108ST	1000*900*600	40	108
CR-1144ST	1200*1000*800	40	144
CR-1216ST	1500*1000*1000	40	216

Electronic moisture-proof cabinet 电子防潮柜 전자방습캐비닛: ≤5%RH、10-60%RH、20-60%RH







CÔNG TY TRÁCH NHIỆM HỮU HẠN THIẾT BỊ VÀ CÔNG NGHỆ DELI
DELI TECHNOLOGY AND EQUIPMENT COMPANY LIMITED
得力仪器技术有限公司

Trụ sở: Số 28 đường Lý Thái Tổ, Đình Bảng, Từ Sơn, Bắc Ninh
Mã số thuế (Tax Code): 2300978756 Tel: 0222-3760-556
Hot line: 0866933293/ 0868.880.158
Email : yndelivn2017@gmail.com Website: <https://delivn.net/>



Wechat



Zalo